

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Public Services – Panchayat Raj & Rural Development Department - Allegations of irregularities in execution of road work from Kasireddypally of Bachannapet (M) to Gopirajapalli of Jangoan (M), Warangal District under FFWP – Disciplinary action initiated against Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department - Imposition of penalty of Stoppage of one increment with cumulative effect, besides recovery of Rs.92,400/- under rule 9 of Andhra Pradesh Civil Services (CC&A) Rules, 1991– Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No. 34

Dated:03.01.2014

Read the following:-

1. From the Engineer-in-Chief, Panchayat Raj, Hyderabad, letter No. Vig.III (2)/FFWP/19538/02, dt:30.12.2004.
2. Memo No.D.VI(2)/9538/2002-2, dt. 31.10.2002 of ENC, PR issued to Sri R.N.H. Kumar Raju, Asst. Executive Engineer (PR), Bachannapet (M), Warangal District.
3. WSD of Sri R.N.H. Kumar Raju, Asst. Executive Engineer, MP, Bachannapet, dt. 01.01.2003.
4. G.O.Rt.No.1666, P.R. & R.D. (Vig.I) Dept., dt. 05.11.2008.
5. From the COI, GAD, D.O. Lr.No.2047/COI-JR/2008, dt.23.12.2010.
6. Govt. Memo No.545/Vig.I/2005-4, PR & RD (Vig.I) Dept., Dt:19.05.2011.
7. Representation Dt.10.08.2011 of Sri R.N.H. Kumar Raju, AEE, RWS&S SD, Kandukur, Prakasam District.
8. Govt. Letter No. 545/Vig.I/2005-18, PR&RD(Vig.I) Dept., dt.21.10.2013.
9. From the Secretary I/c APPSC, Hyd.Lr.No.2016/RT/3/2013, Dated:14.11.2013.

ORDER:

In the reference 2nd read above, a charge was framed against Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department, under Rule 20 of A.P.Civil Services (CC&A) Rules, 1991, on the allegations of irregularities in execution of road work from Kasireddypally of Bachannapet (M) to Gopirajapalli of Jangoan (M), Warangal District under FFWP, by the Engineer-in-Chief, Panchayat Raj, Hyderabad. The Charged Officer has submitted his written statement of defence, vide reference 3rd read above.

2. After examining the matter, in the reference 4th read above, orders were issued appointing Sri Janak Raj, I.P.S. (Retd.), Commissioner of Inquiries, General Administration Department, as Inquiring Authority under rule 20 (2) of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991, for conducting detailed enquiry against Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department and another. The Executive Engineer, Panchayat Raj, Warangal was also appointed as Presenting Officer therein.

3. In the reference 5th read above, the Inquiring Authority of Commissioner of Inquiries, General Administration Department has submitted his inquiry report and in his findings has held that the charge framed against the charged officer Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department was held proved.

P.T.O.

4. After examining the matter, a copy of the Inquiry report of Inquiring Authority was communicated to the Charged Officer Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department, directing him to submit his explanation, under rule 21 (2) of A.P.Civil Services (Classification, Control & Appeal) Rules, 1991, vide reference 6th read above. The Charged Officer has submitted his explanation, vide reference 7th read above.
5. Government, after careful examination of the matter, have provisionally decided to impose a penalty of "stoppage of one increment with cumulative effect, besides recovery of Rs.92,400/- (Rupees ninety two thousand and four hundred only) against Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department.
6. In the reference 8th read above, the Andhra Pradesh Public Service Commission, Hyderabad, has been consulted on the proposed penalty. The Andhra Pradesh Public Service Commission, Hyderabad, in the reference 9th read above, has agreed with the provisional decision of the Government.
7. Government, after careful examination of the matter, hereby order to impose a penalty of "stoppage of one increment with cumulative effect, besides recovery of Rs.92,400/- (Rupees ninety two thousand and four hundred only) on Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department", under Rule 9 of A.P.Civil Services (CC&A) Rules, 1991.
8. The Engineer-in-Chief, Panchayat Raj, Hyderabad shall take necessary further action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

V. NAGI REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To
Sri R.N.H.Kumar Raju, the then Assistant Executive Engineer (PR), now working in RWS&S Department **Through** Engineer-in-Chief, RWS&S, Hyderabad.
The Engineer-in-Chief, Rural Water Supply and Sanitation, Hyderabad.
(with a request to serve and furnish the dated
acknowledgement immediately)
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
Copy to:
The Secretary, A.P. Vigilance Commission, Hyderabad.
The Secretary, A.P. Public Service Commission, Hyderabad.
The Accountant General, Andhra Pradesh, Hyderabad.
PS to Secy. (RWS), A.P. Secretariat, Hyderabad.
SF/SC

// FORWARDED::BY:: ORDER //

SECTION OFFICER